COURSE CODE: ICT 714

COURSE TITLE: DATA STRUCTURES AND ALGORITHMS

2013/2014 ACADEMIC YEAR

SEMESTER I

| QUESTION 1 (COMPULSORY) | [30 MARKS] |
|--------------------------------------------------------------------------------|------------|
| a) Distinguish between a queue and a stack. | [4 marks] |
| b) Why is sorting necessary? | [2 marks] |
| c) Describe brieflyi. any one sorting algorithm and | [6 marks] |
| ii. any one searching algorithm | |

d) Illustrate the operation of the sorting algorithm described in part (c) i above on the following list of integers [4 marks]

57, 23, 11, 74, 39, 40, 65

a) The diagram below shows an array representation of a binary tree. Draw the tree. [3 marks]

| D A T A S T R U C T U R E |
|---------------------------|
|---------------------------|

| e) | Suppose we begin with an empty stack, and perform the following operations: push 7, | |
|----|---------------------------------------------------------------------------------------------|-----|
| | push 2, push 9, push 6, pop, pop, peek, push 1, push 3, peek, push 8, pop, peek, pop, pop |), |
| | push 5, push 4, pop, pop, pop, push 8. What is contained on the stack when we are done | ? |
| | Write out the contents from top to bottom.[4 marks] | |
| f) | Given two scenarios: the first in which a problem solution involves a dynamic list (i.e. li | ist |
| | in which there are a lot of deletions and insertions) and the second in which a problem | m |


in which there are a lot of deletions and insertions) and the second in which a problem involves many accesses to the interior values of a list. State with reasons which data structure will be suitable for each of the two scenarios? [3 marks]

g) Outline any two applications of the stack data structure [4 marks]

| QUESTION 2 | (20 marks) |
|------------|------------|
| | |

a) What is the function of the variable head when used with a linked list? What is the data type of the head variable? [2 marks]

b) Draw a diagram of a linked list that contains nodes with data items of type String that contains the name of a city and type double that contains a pollution index. Include an instance variable named head to indicate the beginning of the list. Insert the following nodes: Franklin, 15.7, Chicago, 23.2, Denver, 7.2. [3 marks]



a) Create a generic Node class to represent the linked list depicted in your diagrams above.

[10 marks]

| b) | Write a method called displayList that displays the data ite | ems in the Node class created in |
|-----|--------------------------------------------------------------|----------------------------------|
| | number (c) above. | [5 marks] |
| QUI | ESTION 3 | (20 marks) |

| a) | What is a binary tree? | [2 marks] |
|----|---------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| b) | How is a binary search tree different from a binary tree? | [3 Marks] |
| c) | Draw the resulting binary search tree inserting the following values in the g 12, 1, 3, 9. | iven order: 7, 10, 5, [5 marks] |
| d) | Name the three traversal orders for binary trees and show the result of each on the above binary search tree. | of these traversals [6 marks] |
| e) | Describe any two methods for storing binary trees in the computer | [4 marks] |

Question 4

| a) | plain how a stack can be used to determine if an infix expression is correctly | |
|----|--------------------------------------------------------------------------------|-----------|
| | parenthesized. | [5 marks] |
| b) | Describe how a stack can be used to solve postfix expressions. | [3 marks] |
| c) | Evaluate the following postfix expression: | [4 marks] |
| | 7451-*8/94-+/ | |
| | | |


d) Describe one implementation strategy for a stack and one for a queue. [8 marks]

Question 5

| a) | What is the difference between a graph and a tree? | [2 marks] |
|----|----------------------------------------------------------------------------------------------------|-----------|
| b) | Draw the directed graph that is represented by the following: Vertices: 1, 2, 3, 4, 5, 6, 7 | [4 marks] |

Edges: (1, 2), (1, 4), (2, 3), (2, 4), (3, 7), (4, 7), (4, 6), (5, 6), (5, 7), (6, 7)

- c) Describe two principal methods for representing graphs for computer algorithms
- d) If a graph is sparse which representation will you use and why?[6 marks][2 marks]
- e) Consider the weighted graph given below:



Represent the weighted graph using the two representation methods described in part (c) above. [6 marks]